

Magnetic mortice lock KfV Model 116 1/2



- > Area of application: Residential areas
- > For door material: Wood
- > For door type: Hinged doors
- > Material: Forend: Stainless steel, latchbolt: Plastic with magnetic insert, deadbolt and lever follower: Zinc alloy, lock case: Steel
- > Colour/finish: Satin stainless steel
- > Forend design: Flat forend rounded
- > Forend length: 235 mm
- > Deadbolt version: Standard deadbolt
- > Latchbolt version: Magnetic latch
- > Functioning principle: Latchbolt is activated via the magnet

Note

Forend width 20 mm for rebated and flush doors

Technical data

Lock type	PC	WC/Bathroom	CB
Distance	72 mm	78 mm	72 mm
Deadbolt throw	2 turns	1 turn	2 turns
Deadbolt throw dim.	20 mm	10 mm	20 mm
Lever follower	8 mm	8 mm	8 mm
Deadbolt follower	–	8 mm	–
Deadbolt follower material	–	Zinc alloy	–
Functionality	With key action	–	–
Standard	Suitability according to DIN 18251 Part 1	–	–

Backset mm	Forend width mm	Mounting	Satin stainless steel	Stainless steel, black
------------	-----------------	----------	-----------------------	------------------------

PC

55	20	For DIN left and DIN right hand use	911.07.036	911.07.136
65	20	For DIN left and DIN right hand use	911.07.053	911.07.146


WC/Bathroom

55	20	For DIN left and DIN right hand use	911.07.035	911.07.135
65	20	For DIN left and DIN right hand use	911.07.052	911.07.145

CB


55	20	For DIN left and DIN right hand use	911.07.034	911.07.134
65	20	For DIN left and DIN right hand use	911.07.051	911.07.144

Profile cylinder (PC)




A = Backset
B = Distance

Bathroom/WC



Cipher bit (CB)



❗ KfV flat striking plate with magnetic insert


► BB 4.31

4

Mortice locks for hinged doors

DGH-B 2022, HDE-en, 01/22; Dimensional data not binding. We reserve the right to alter specifications without notice.

Magnetic mortice latch lock KfV Model 116 1/2 Model 116 1/2, PC



A = Backset
B = Distance

- > Area of application: Residential areas
- > For door type: Hinged doors
- > For door material: Wood
- > Material: Forend: Stainless steel, latchbolt: Plastic with magnetic insert, lever follower: Zinc alloy, lock case: Steel
- > Colour/finish: Forend: Satin, folding lever: Nickel plated, lock case: Galvanized
- > Forend length: 235 mm
- > Deadbolt version: Without deadbolt
- > Latchbolt version: Magnetic latch
- > Functioning principle: Latchbolt is activated via the magnet

Note
Profile cylinder aperture without function


Technical data			
Lock type		PC	
Distance		72 mm	
Latchbolt throw dimension		10 mm	
Lever follower		8 mm	
Backset mm	Forend width mm	Mounting	Satin stainless steel
PC			
55	20	For DIN left and DIN right hand use	911.23.299



4

Mortice locks for hinged doors


Flat striking plate KfV



- > For frame type: Wooden frame
- > Door construction: Rebated, Unrebated
- > Suitable for: Magnetic mortise locks
- > Version: Magnetic insert, With plastic lining
- > Length x width: 200 x 20 mm
- > Depth: 18 mm
- > Mounting: For DIN left and DIN right hand use

Material	Colour/finish	Cat. No.
Stainless steel	matt, Lining: Grey	911.39.513
	Black, Lining: Black	911.38.543

Flat striking plate KfV



- > For frame type: Wooden frame
- > Door construction: Rebated, Unrebated
- > Suitable for: Magnetic mortice latch locks
- > Version: Magnetic insert, With plastic lining
- > Length x width: 120 x 20 mm
- > Depth: 16.7 mm
- > Mounting: For DIN left and DIN right hand use

Material	Colour/finish	Cat. No.
Stainless steel	matt, Lining: Grey	911.39.512
	Black, Lining: Grey	911.38.542



4


Lining KfV



- > Suitable for: Flat striking plate, Magnetic mortice latch locks
- > Version: Magnetic insert

Material	Colour/finish	Cat. No.
Plastic	Grey	911.39.514

Flat striking plate



- > Suitable for: Magnetic mortise locks
- > For frame type: Wooden frame
- > Door construction: Unrebated
- > Version: Magnetic insert, With plastic lining
- > Adjustment facility: Recess for magnetic latchbolt, adjustable Contact pressure seal, adjustable (3 mm)
- > Length x width: 195 x 24 mm
- > Depth: 20 mm

Material	Colour/finish	Mounting	Cat. No.
Stainless steel	matt, Lining: Grey	DIN left	911.38.583
	matt, Lining: Grey	DIN right	911.38.584

Mortice locks for hinged doors